| Part # | Description | List |
|---|---|---|
| CXD4-1330-RX | Cxi, TT/DT, 4.1", 300dpi, 16MB Ram, 6 ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet, PCL, Rx | $1,024.00 |
| CXT4-1330-RX | Cxi, TT/DT, 4.1", 300dpi, 16MB Ram, 6 ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet, PCL, Rx | $1,074.00 |

DT=DirectThermal;TT=ThermalTransfer;dpi=DotsPerInch;MB=Megabytes;ips=InchesPerSecond;VAC=VoltsAC; PAR= Parallel; RTC= Real Time Clock; PCL= Printer Command Language

## C Series Accessories

| | | |
|---|---|---|
| 115-008-02 | Parallel Cable, 6' long, Micro Connector, DB25M | $26.00 |
| 115-005-01 | Cable, USB A Male 2.0 to USB B Male 2.0 High Speed | $5.00 |
| 115-006-02 | Serial Cable, 6' long, Micro Connector, DB9F | $22.00 |
| 115-007-02 | SerialAdapter,5VDC,6",MicroConnector,DB9F(Usew/SerialCableP/N 60-90-88-0079) | $22.00 |
| 60-90-88-0079 | RS232 Serial Cable, Null Modem, 6 ft., 9-pin F to 9-pin M | $32.00 |
| 370-006-01 | Power Supply, Universal, 100-240v, 70W | $95.36 |

## Advantage LX 2" Printers

| | | |
|---|---|---|
| LBD24-2043-011 | Advantage LX, DT, 2.4", 200dpi, 4MB, 3ips, 120VAC, Serial | $595.00 |
| LBD24-2043-012 | Advantage LX, DT, 2.4", 200dpi, 4MB, 3ips, 120VAC, Parallel | $595.00 |
| LBD24-2043-021 | Advantage LX, DT, 2.4", 200dpi, 4MB, 3ips, 230VAC, Serial | $595.00 |
| LBD24-2043-022 | Advantage LX, DT, 2.4", 200dpi, 4MB, 3ips, 230VAC, Parallel | $595.00 |
| LBD24-2043-031 | Advantage LX, DT, 2.4", 200dpi, 4MB, 3ips, 100VAC, Serial | $595.00 |
| LBD24-2043-032 | Advantage LX, DT, 2.4", 200dpi, 4MB, 3ips, 100VAC, Parallel | $595.00 |
| LBD24-2083-011 | Advantage LX, DT, 2.4", 200dpi, 4MB, RTC, 3ips, 120VAC, Serial | $695.00 |
| LBD24-2443-011 | AdvantageLX,DT,2.4",200dpi,Peeler,4MB,3ips,120VAC,Serial | $695.00 |
| LBD24-2443-012 | AdvantageLX,DT,2.4",200dpi,Peeler,4MB,3ips,120VAC,Parallel | $695.00 |
| LBD24-2043-014 | AdvantageLX,DT,2.4",200dpi,4MB,3ips,120VAC,Serial/Ethernet | $895.00 |
| LBD24-2443-014 | AdvantageLX,DT,2.4",200dpi,Peeler,4MB,3ips,120VAC,Serial/Ethernet | $995.00 |
| LBT24-2043-011 | Advantage LX, TT, 2.4", 200dpi, 4MB, 3ips, 120VAC, Serial | $695.00 |
| LBT24-2043-012 | Advantage LX, TT, 2.4", 200dpi, 4MB, 3ips, 120VAC, Parallel | $695.00 |
| LBT24-2043-021 | Advantage LX, TT, 2.4", 200dpi, 4MB, 3ips, 230VAC, Serial | $695.00 |
| LBT24-2043-022 | Advantage LX, TT, 2.4", 200dpi, 4MB, 3ips, 230VAC, Parallel | $695.00 |
| LBT24-2043-031 | Advantage LX, TT, 2.4", 200dpi, 4MB, 3ips, 100VAC, Serial | $695.00 |
| LBT24-2043-032 | Advantage LX, TT, 2.4", 200dpi, 4MB, 3ips, 100VAC, Parallel | $695.00 |

## Advantage LX Series

These high performance LX thermal label printers provide a robust platform driving productivity to the next level. Increased memory, as well as a full suite of stored objects gives you greater flexibility to meet your demanding needs.

> Print speeds up to 3 ips
> Faster throughput; Up to 60% faster with Windows Applications
> Higher Flash Memory: 4 MB standard for larger stored objects/additional storage
> More Standard Stored Objects including 2-D bar codes

Advantage LX Series

| Part # | Description | List |
|---|---|---|
| LBT24-2083-011 | Advantage LX, TT, 2.4", 200dpi, 4MB, RTC, 3ips, 120VAC, Serial | $795.00 |
| LBT24-2043-014 | AdvantageLX,TT,2.4",200dpi,4MB,3ips,120VAC,Serial/Ethernet | $995.00 |
| LBT24-2043-024 | AdvantageLX,TT,2.4",200dpi,4MB,3ips,230VAC,Serial/Ethernet | $995.00 |
| LBT24-2443-014 | AdvantageLX,TT,2.4",200dpi,Peeler,4MB,3ips,Serial/Ethernet | $1,095.00 |

DT= Direct Thermal; TT= Thermal Transfer; dpi= Dots Per Inch; MB= Megabytes; ips= Inches Per Second; VAC= Volts AC; SER=Serial; PAR= Parallel; RTC= Real Time Clock

## Advantage LX 4" Printers

| | | |
|---|---|---|
| LBD42-2043-013 | Advantage LX, DT, 4.2", 200dpi, 4MB, 3ips, 120VAC, Serial/Parallel | $695.00 |
| LBD42-2043-023 | Advantage LX, DT, 4.2", 200dpi, 4MB, 3ips, 230VAC, Serial/Parallel | $695.00 |
| LBD42-2043-033 | Advantage LX, DT, 4.2", 200dpi, 4MB, 3ips, 100VAC, Serial/Parallel | $695.00 |
| LBD42-2083-013 | Advantage LX, DT, 4.2", 200dpi, 4MB, RTC, 3ips, 120VAC, Serial/ Parallel | $795.00 |
| LBD42-2443-013 | Advantage LX, DT, 4.2", 200dpi, Peeler, 4MB, 3ips, 120VAC, Serial/ Parallel | $795.00 |
| LBD42-2443-023 | Advantage LX, DT, 4.2", 200dpi, Peeler, 4MB, 3ips, 230VAC, Serial/ Parallel | $795.00 |
| LBD42-2443-033 | Advantage LX, DT, 4.2", 200dpi, Peeler, 4MB, 3ips, 100VAC, Serial/ Parallel | $795.00 |
| LBD42-3042-013 | Advantage LX, DT, 4.2", 300dpi, 4MB, 2ips, 120VAC, Serial/Parallel | $795.00 |
| LBD42-3442-013 | Advantage LX, DT, 4.2", 300dpi, Peeler, 4MB, 2ips, 120VAC, Serial/ Parallel | $895.00 |
| LBD42-2043-016 | Advantage LX, DT, 4.2", 200dpi, 4MB, 3ips, 120VAC, Serial/Parallel/ Ethernet | $995.00 |
| LBD42-2043-026 | Advantage LX, DT, 4.2", 200dpi, 4MB, 3ips, 230VAC, Serial/Parallel/ Ethernet | $995.00 |
| LBD42-3042-016 | Advantage LX, DT, 4.2", 300dpi, 4MB, 2ips, 120VAC, Serial/Parallel/ Ethernet | $1,095.00 |
| LBD42-3442-016 | Advantage LX, DT, 4.2", 300dpi, Peeler, 4MB, 2ips, 120VAC, Serial/ Parallel/Ethernet | $1,195.00 |
| LBT42-2043-013 | Advantage LX, TT, 4.2", 200dpi, 4MB, 3ips,120VAC, Serial/Parallel | $795.00 |
| LBT42-2043-023 | Advantage LX, TT, 4.2", 200dpi, 4MB, 3ips,230VAC, Serial/Parallel | $795.00 |
| LBT42-2043-033 | Advantage LX, TT, 4.2", 200dpi, 4MB, 3ips, 100VAC, Serial/Parallel | $795.00 |
| LBT42-2083-013 | AdvantageLX,TT,4.2",200dpi,4MB,RTC,3ips,120VAC,Serial/Parallel | $895.00 |
| LBT42-2443-013 | Advantage LX, TT, 4.2", 200dpi, Peeler, 4MB, 3ips, 120VAC, Serial/ Parallel | $895.00 |
| LBT42-3042-013 | Advantage LX, TT, 4.2", 300dpi, 4MB, 2ips, 120VAC, Serial/Parallel | $895.00 |

| Part # | Description | List |
|---|---|---|
| LBT42-3442-013 | Advantage LX, TT, 4.2", 300dpi, Peeler, 4MB, 2ips, 120VAC, Serial/Parallel | $995.00 |
| LBT42-2043-016 | Advantage LX, TT, 4.2", 200dpi, 4MB, 3ips, 120VAC, Serial/Parallel/Ethernet | $1,095.00 |
| LBT42-2043-026 | Advantage LX, TT, 4.2", 200dpi, 4MB, 3ips, 230VAC, Serial/Parallel/Ethernet | $1,095.00 |
| LBT42-2043-036 | Advantage LX, TT, 4.2", 200dpi, 4MB, 3ips, 100VAC, Serial/Parallel/Ethernet | $1,095.00 |
| LBT42-2443-016 | Advantage LX, TT, 4.2", 200dpi, Peeler, 4MB, 3ips, Serial/Parallel/Ethernet | $1,195.00 |
| LBT42-3042-016 | Advantage LX, TT, 4.2", 300dpi, 4MB, 2ips, 120VAC, Serial/Parallel/Ethernet | $1,195.00 |
| LBT42-3442-016 | Advantage LX, TT, 4.2", 300dpi, Peeler, 4MB, 2ips, 120VAC, Serial/Parallel/Ethernet | $1,295.00 |

DT= Direct Thermal; TT= Thermal Transfer; dpi= Dots Per Inch; MB= Megabytes; ips= Inches Per Second; VAC= Volts AC; PAR= Parallel; RTC= Real Time Clock;

## LX Accessories

| | | |
|---|---|---|
| 60-71-01-0048-04 | Power Supply, 115VAC Input, 60W/19VAC Output, Blaster, RoHS | $60.00 |
| 60-77-14-0080-01 | Wristband Tray, Supports 3/4" Wide Label Roll for 2" Blaster & Advantage | $21.00 |
| 60-90-88-0079 | RS232 Serial Cable, Null Modem, 6 ft., 9-pin F to 9-pin M | $32.00 |
| KP-200-02 | KeyboardKit,KP2000Keyboardw/SerialCable(DB9-Male),Protective Keypad Overlay | $235.00 |

## Advantage DLX 2" Printers

| | | |
|---|---|---|
| DBD24-2085-01E | Advantage DLX, DT, 2.4", 200dpi, 8MB, 5 ips, USB A/B, Ethernet, US Power Cord | $745.00 |
| DBD24-2085-01P | Advantage DLX, DT, 2.4", 200dpi, 8MB, 5 ips, USB A/B, Parallel, US Power Cord | $595.00 |
| DBD24-2085-01S | Advantage DLX, DT, 2.4", 200dpi, 8MB, 5 ips, USB A/B, Serial US Power Cord | $595.00 |
| DBD24-2085-01U | Advantage DLX, DT, 2.4", 200dpi, 8MB, 5 ips, USB A/B, US Power Cord | $595.00 |
| DBD24-2085-02E | Advantage DLX, DT, 2.4", 200dpi, 8MB, 5 ips, USB A/B, Ethernet, EU Power Cord | $745.00 |
| DBD24-2085-02P | Advantage DLX, DT, 2.4", 200dpi, 8MB, 5 ips, USB A/B, Parallel, EU Power Cord | $595.00 |
| DBD24-2085-02S | Advantage DLX, DT, 2.4", 200dpi, 8MB, 5 ips, USB A/B, Serial EU Power Cord | $595.00 |
| DBD24-2085-02U | Advantage DLX, DT, 2.4", 200dpi, 8MB, 5 ips, USB A/B, EU Power Cord | $595.00 |
| DBD24-2485-01E | Advantage DLX, DT, 2.4", 200dpi, Peeler, 8MB, 5ips, USB A/B, Ethernet, US Power Cord | $845.00 |
| DBD24-2485-02S | Advantage DLX, DT, 2.4", 200dpi, Peeler, 8MB, 5ips, USB A/B, Serial, EU Power Cord | $695.00 |
| DBT24-2085-01E | Advantage DLX, TT, 2.4", 200dpi, 8MB, 5 ips, USB A/B, Ethernet, US Power Cord | $845.00 |

COGNITIVETPG

## Advantage DLX Series

The Advantage DLX provides the ideal thermal printing solution for a wide range of applications demanding unrivaled performance with undeniable durability. Enhanced with leading edge print technology, the Advantage DLX continues CognitiveTPG's commitment to deliver best-in-class performance, popular language emulations and a full connectivity suite.

> Print speeds up to 5 inches per second (ips)
> Metal frame construction and print mechanism for reliable performance in rugged environments
> 16 MB of RAM and 8 MB Flash with format, font and graphics storage capability
> Standard USB connectivity
> Optional internal Ethernet and cables for either serial or parallel interface applications

| Part # | Description | List |
|---|---|---|
| DBT24-2085-01P | Advantage DLX, TT, 2.4", 200dpi, 8MB, 5 ips, USB A/B, Parallel, US Power Cord | $695.00 |
| DBT24-2085-01S | AdvantageDLX,TT,2.4",200dpi,8MB,5ips,USBA/B,SerialUSPower Cord | $695.00 |
| DBT24-2085-01U | AdvantageDLX,TT,2.4",200dpi,8MB,5ips,USBA/B,USPowerCord | $695.00 |
| DBT24-2085-02E | Advantage DLX, TT, 2.4", 200dpi, 8MB, 5 ips, USB A/B, Ethernet, EU Power Cord | $845.00 |
| DBT24-2085-02P | Advantage DLX, TT, 2.4", 200dpi, 8MB, 5 ips, USB A/B, Parallel, EU Power Cord | $695.00 |
| DBT24-2085-02S | AdvantageDLX,TT,2.4",200dpi,8MB,5ips,USBA/B,SerialEUPower Cord | $695.00 |
| DBT24-2085-02U | AdvantageDLX,TT,2.4",200dpi,8MB,5ips,USBA/B,EUPowerCord | $695.00 |
| DBT24-2095-01S | AdvantageDLX,TT,2.4",200dpi,8MB,RTC,5ips,USBA/B,Legacy,US Power Cord | $795.00 |
| DBT24-2485-01P | AdvantageDLX,TT,2.4",200dpi,Peeler,8MB,5ips,USBA/B,Parallel, US Power Cord | $795.00 |

DT=DirectThermal;TT=ThermalTransfer;dpi=DotsPerInch;MB=Megabytes;ips=InchesPerSecond;VAC=VoltsAC; PAR= Parallel; RTC= Real Time Clock

## Advantage DLX 4" Printers

| | | |
|---|---|---|
| DBD42-2085-01E | Advantage DLX, DT, 4.2", 200dpi, 8MB, 5 ips, USB A/B, Ethernet, US Power Cord | $845.00 |
| DBD42-2085-01P | Advantage DLX, DT, 4.2", 200dpi, 8MB, 5 ips, USB A/B, Parallel, US Power Cord | $695.00 |
| DBD42-2085-01S | Advantage DLX, DT, 4.2", 200dpi, 8MB, 5 ips, USB A/B, Serial US Power Cord | $695.00 |
| DBD42-2085-01U | AdvantageDLX,DT,4.2",200dpi,8MB,5ips,USBA/B,USPowerCord | $695.00 |
| DBD42-2085-02E | Advantage DLX, DT, 4.2", 200dpi, 8MB, 5 ips, USB A/B, Ethernet, EU Power Cord | $845.00 |
| DBD42-2085-02P | Advantage DLX, DT, 4.2", 200dpi, 8MB, 5 ips, USB A/B, Parallel, EU Power Cord | $695.00 |
| DBD42-2085-02S | Advantage DLX, DT, 4.2", 200dpi, 8MB, 5 ips, USB A/B, Serial EU Power Cord | $695.00 |
| DBD42-2085-02U | AdvantageDLX,DT,4.2",200dpi,8MB,5ips,USBA/B,EUPowerCord | $695.00 |
| DBD42-2485-01S | AdvantageDLX,DT,4.2",200dpi,Peeler,8MB,5ips,USBA/B,Serial, US Power cord | $795.00 |
| DBD42-2485-02S | AdvantageDLX,DT,4.2",200dpi,Peeler,8MB,5ips,USBA/B,Serial, EU Power cord | $795.00 |
| DBT42-2085-01E | Advantage DLX, TT, 4.2", 200dpi, 8MB, 5 ips, USB A/B, Ethernet, US Power Cord | $945.00 |
| DBT42-2085-01P | Advantage DLX, TT, 4.2", 200dpi, 8MB, 5 ips, USB A/B, Parallel, US Power Cord | $795.00 |
| DBT42-2085-01S | Advantage DLX, TT, 4.2", 200dpi, 8MB, 5 ips, USB A/B, Serial US Power Cord | $795.00 |
| DBT42-2085-01U | AdvantageDLX,TT,4.2",200dpi,8MB,5ips,USBA/B,USPowerCord | $795.00 |
| DBT42-2085-02E | Advantage DLX, TT, 4.2", 200dpi, 8MB, 5 ips, USB A/B, Ethernet, EU Power Cord | $945.00 |
| DBT42-2085-02P | Advantage DLX, TT, 4.2", 200dpi, 8MB, 5 ips, USB A/B, Parallel, EU Power Cord | $795.00 |
| DBT42-2085-02S | Advantage DLX, TT, 4.2", 200dpi, 8MB, 5 ips, USB A/B, Serial EU Power Cord | $795.00 |
| DBT42-2085-02U | AdvantageDLX,TT,4.2",200dpi,8MB,5ips,USBA/B,EUPowerCord | $795.00 |

| Part # | Description | List |
|---|---|---|
| DBT42-2485-01S | Advantage DLX, TT, 4.2", 200dpi, Peeler, 8MB, 5ips, USB A/B, Serial, US Power Cord | $895.00 |

DT=DirectThermal;TT=ThermalTransfer;dpi=DotsPerInch;MB=Megabytes;ips=InchesPerSecond;VAC=Volts AC; PAR= Parallel; RTC= Real Time Clock

## EZ-LP DESKTOP PRINTER

| | | |
|---|---|---|
| EZD42-2185-Z1E | EZ-LP Label Printer, DT, 4" Print Width, 203 dpi, 8MB RAM, 4MB Flash, 5 ips, US Cord, USB A/B, Ethernet | $675.00 |
| EZD42-2185-Z1P | EZ-LP Label Printer, DT, 4" Print Width, 203 dpi, 8MB RAM, 4MB Flash, 5 ips, US Cord, USB A/B, Serial/Parallel | $575.00 |
| EZD42-2185-Z1S | EZ-LP Label Printer, DT, 4" Print Width, 203 dpi, 8MB RAM, 4MB Flash, 5 ips, US Cord, USB A/B, Serial | $525.00 |
| EZD42-2185-Z2E | EZ-LP Label Printer, DT, 4" Print Width, 203 dpi, 8MB RAM, 4MB Flash, 5 ips, EU/UK Cords, USB A/B, Ethernet | $675.00 |
| EZD42-2185-Z2P | EZ-LP Label Printer, DT, 4" Print Width, 203 dpi, 8MB RAM, 4MB Flash, 5 ips, EU/UK Cords, USB A/B, Serial/Parallel | $575.00 |
| EZD42-2185-Z2S | EZ-LP Label Printer, DT, 4" Print Width, 203 dpi, 8MB RAM, 4MB Flash, 5 ips, EU/UK Cords, USB A/B, Serial | $525.00 |

## Labels

| | | |
|---|---|---|
| 03-02-1519 | 2.3" x 1", DT, Paper, GP, 1685, Blaster / Del Sol / Solus / Cxi / Ci | $128/cs |
| 03-02-1520 | 1.15" x 1", DT, Paper, GP, 2up, 3370, Blaster / Del Sol / Solus | $128/cs |
| 03-02-1521 | 2.4" x 3", DT, Paper, GP, 627, Blaster / Del Sol / Solus / Cxi / Ci | $130/cs |
| 03-02-1522 | 4.25" x 6.5", DT, Paper, GP, 300, Blaster / Del Sol / Solus | $300/cs |
| 03-02-1523 | 4.25" x 3", DT, Paper, GP, 627, Blaster / Del Sol / Solus | $275/cs |
| 03-02-1524 | 4.25" x 1", DT, Paper, GP, 1685, Blaster / Del Sol / Solus | $250/cs |
| 03-02-1545 | 1.15" x 1", DT, Paper, B, 2up, 3370, Blazer | $130/cs |
| 03-02-1639 | 2.4" x 1", DT, Tag, 7.5 ml, P, H, B, 1500, Blaster / Del Sol / Solus | $155/cs |
| 03-02-1647 | 2.4" x 1", DT, Synthetic, GP, 1685, Blaster / Del Sol / Solus | $281/cs |
| 03-02-1648 | 2.4" x .75", DT, Synthetic, GP, 2130, Blaster / Del Sol / Solus | $335/cs |
| 03-02-1649 | 2" x .56", DT, Synthetic Butterfly, B, 2665, Blaster / Del Sol / Solus | $344/cs |
| 03-02-1651 | 2.4" x 1", DT, Paper, BC, 2000, Blaster / Del Sol / Solus | $188/cs |
| 03-02-1656 | 2.3" x 1", TT, Paper, GP, 1685, Blaster / Del Sol / Solus | $112/cs |
| 03-02-1657 | 4.25" x 1", TT, Paper, GP, 1685, Blaster / Del Sol / Solus | $184/cs |
| 03-02-1659 | 4.25" x 3", TT, Paper, GP, 627, Blaster / Del Sol / Solus | $274/cs |
| 03-02-1661 | 2.4" x 1", TT, Paper, GP, RA, 1685, Blaster / Del Sol / Solus | $250/cs |
| 03-02-1731 | 1.15" x 1", TT, Paper, GP, 2up, 3370, Blaster / Del Sol / Solus | $131/cs |
| 03-02-1733 | 2.4" x 1", TT, Synthetic, GP, 1685, Blaster / Del Sol / Solus | $282/cs |
| 03-02-1764 | 2.4" x 1", DT, Paper, GP, RA, 1685, Blaster / Del Sol / Solus / Cxi / Ci | $200/cs |
| 03-02-1785 | 2.4" x 1", DT, Paper, GP, 1685, Blaster / Del Sol / Solus | $156/cs |
| 03-02-1797 | 2" x .56", DT, Synthetic, Butterfly, 2665, Blaster / Del Sol / Solus / Gap | $275/cs |
| 03-02-1803 | 2" x .56", TT, Synthetic, Butterfly, 2665, Blaster / Del Sol / Solus / Gap | $282/cs |

COGNITIVETPG

### EZ-LP Desktop Printer

The CognitiveTPG EZ-LP printer is your alternative to more expensive legacy printers, providing a better value in drop in compatiblity.

> Only standard USB-A (host) port in it's class
> Standard Interface: Serial, Parallel, USB and Ethernet
> Print speed: 5 inches per second (ips)
> EcPL and ZcPL emulations included

### Media, Labels & Tags

Labels & Tags for Cxi / Ci / CRx Advantage LX and DLX / EZ-LP / Blaster / Del Sol / Solus, Solus II, Blazer

For nearly 30 years, CognitiveTPG's Media Group has manufactured high-quality, on-demand standard and custom labels, receipt and tag stock. With over 200 sizes in stock and a variety of materials, CognitiveTPG has a solution. The items listed below are only a partial listing. Call your BlueStar Rep to learn more about CognitiveTPG media.

> Direct Thermal and Thermal Transfer Stocks

> Special Adhesives and Synthetic Stocks for Specific Applications

> Custom designs with In House Graphic Designer and 5 Color Process

> High Quality thermal Transfer Ribbon

| Part # | Description | List |
|---|---|---|
| 03-02-1820 | 2.4" x 2", DT, Paper, GP, 914, Blaster / Del Sol / Solus / Cxi / Ci | $190/cs |
| 03-02-1821 | 3" x 1", DT, Paper, GP, 1775, Blaster / Del Sol / Solus | $188/cs |
| 03-02-1824 | 3" x 1", TT, Paper, GP, 1775, Blaster / Del Sol / Solus | $155/cs |
| 03-02-1826 | 4" x 2", DT, Paper, GP, 940, Blaster / Del Sol / Solus | $233/cs |
| 03-02-1827 | 4" x 6", DT, Paper, GP, 326, Blaster / Del Sol / Solus / Cxi / Ci | $208/cs |
| 03-02-1828 | 4" x 2", TT, Paper, GP, 940, Blaster / Del Sol / Solus | $188/cs |
| 03-02-1879 | 2.4" x 1", DT, Paper, GP, RA, 1685, Blazer | $202/cs |
| 03-02-1897 | 1.15" x 1", DT, Paper, GP, 2up, RA, 3368, Blaster / Del Sol / Solus | $200/cs |
| 03-02-1898 | 1.15" x 1", TT, Paper, GP, 2up, RA, 3370, Blaster / Del Sol / Solus | $225/cs |
| 03-89-1000 | 2.4" x 1", DT, 7.5 ml, Tag, B, 1500, Blazer | $162/cs |
| 03-89-1002 | 2.4" x 0.75", DT, Synthetic, B, 2130, Blazer | $290/cs |
| 03-89-1006 | 2.3" x 1", DT, Paper, B, 1684, Blazer | $130/cs |
| 03-89-1019 | 2.4" x 1", TT, RA, B, 1684, Blazer | $202/cs |
| 03-90-1045 | 1.2" x 1", DT, B, 2up, 3370, Blazer | $190/cs |
| 03-90-1054 | 4.25" x 6", DT, GP, B, 323, Blazer | $300/cs |

Note: Media is sold in cases only, cases include 12 rolls.
GP = gap/perforated; B = bar index; RA = removable adhesive; H = hole for string

## Ribbons

| | | |
|---|---|---|
| 04-00-0044-01 | 2.4" x 5512", Wax 2.4", Del Sol / Cxi / Ci | $124/cs |
| 04-00-0044-02 | 2.4" x 5512", Premium Resin 2.4", Del Sol / Cxi / Ci | $217/cs |
| 04-00-0044-03 | 2.4" x 5512", Wax / Resin 2.4", Del Sol / Cxi / Ci | $133/cs |
| 04-00-0041-01 | 4.25" x 5512", Wax 4.25", Del Sol / Solus, II / Cxi / Ci | $188/cs |
| 04-00-0041-02 | 4.25" x 5512", Premium Resin 4.25", Del Sol / Solus, II / Cxi / Ci | $385/cs |
| 04-00-0041-03 | 4.25" x 5512", Wax / Resin, Del Sol / Cxi / Ci | $228/cs |
| 04-00-0031-01 | 2.4" x 3150", Wax 2.4", Barcode Blaster / Blaster Advantage / Adv LX / Adv DLX | $78/cs |
| 04-00-0031-03 | 2.4" x 3150", Premium Resin 2.4", Barcode Blaster / Blaster Advantage / Adv LX / Adv DLX | $133/cs |
| 04-00-0028-04 | 2.4" x 3150", Wax, 4.25" core, Barcode Blaster / Blaster Advantage / Adv LX / Adv DLX | $78/cs |
| 04-00-0028-06 | 2.4" x 2874", 4.25" Premium Resin, Barcode Blaster / Blaster Advantage / Adv LX / Adv DLX | $137/cs |
| 04-00-0028-01 | 4.25" x 3150", Wax 4.25", Barcode Blaster / Blaster Advantage / Advantage LX | $128/cs |
| 04-00-0028-03 | 4.25" x 2874", Premium Resin 4.25", Barcode Blaster / Blaster Advantage / Advantage LX | $201/cs |
| 04-89-1101 | 2.4" x 8000", Wax, Blazer | $234/cs |
| 04-89-1102 | 4.25" x 8000", Wax, Blazer | $373/cs |

Note: Ribbons are sold in cases only, cases include 12 rolls.

| Part # | Description | List |
|---|---|---|

## A798 Series

| | | |
|---|---|---|
| A798-120D-TD00 | A798, Thermal Receipt, 2MB, with auto cutter, Beige, Dual USB/ RS-232 9-Pin, Power Supply, USA Power Cord | $350.00 |
| A798-220D-TD00 | A798, Thermal Receipt, 2MB, with auto cutter, Dk Gray, Dual USB/ RS-232 9-Pin, Power Supply, USA Power Cord | $350.00 |
| A798-720D-TD00 | A798, Thermal Receipt, 2MB, with auto cutter, Black, Dual USB/ RS-232 9-Pin, Power Supply, USA Power Cord | $350.00 |
| A798-120S-TD00 | A798, Thermal Receipt, 2MB, with auto cutter, Beige, RS-23225-pin, Power Supply, USA Power Cord | $350.00 |
| A798-220S-TD00 | A798, Thermal Receipt, 2MB, with auto cutter, Dk Gray, RS-232 25-pin, Power Supply, USA Power Cord | $350.00 |
| A798-720S-TD00 | A798, Thermal Receipt, 2MB, with auto cutter, Black, RS-23225-pin, Power Supply, USA Power Cord | $350.00 |
| A798-120P-TD00 | A798, Thermal Receipt, 2MB, with auto cutter, Beige, Parallel, Power Supply, USA Power Cord | $350.00 |
| A798-220P-TD00 | A798, Thermal Receipt, 2MB, with auto cutter, Dk Gray, Parallel, Power Supply, USA Power Cord | $350.00 |
| A798-720P-TD00 | A798, Thermal Receipt, 2MB, with auto cutter, Black, Parallel, Power Supply, USA Power Cord | $350.00 |
| A798-720W-TN00 | A798, Thermal Receipt, 2MB, with auto cutter, Black, Powered USB, Power Supply and Power Cord Not Required | $350.00 |

## A799 Series

| | | |
|---|---|---|
| A799-120D-TD00 | A799, Thermal Receipt, 2MB, with auto cutter, Beige, Dual USB/ RS-232 9-Pin, Power Supply, USA Power Cord | $410.00 |
| A799-220D-TD00 | A799, Thermal Receipt, 2MB, with auto cutter, Dk Gray, Dual USB/ RS-232 9-Pin, Power Supply, USA Power Cord | $410.00 |
| A799-720D-TD00 | A799, Thermal Receipt, 2MB, with auto cutter, Black, Dual USB/ RS-232 9-Pin, Power Supply, USA Power Cord | $410.00 |
| A799-120S-TD00 | A799, Thermal Receipt, 2MB, with auto cutter, Beige, RS-23225-pin, Power Supply, USA Power Cord | $410.00 |
| A799-220S-TD00 | A799, Thermal Receipt, 2MB, with auto cutter, Dk Gray, RS-232 25-pin, Power Supply, USA Power Cord | $410.00 |
| A799-720S-TD00 | A799, Thermal Receipt, 2MB, with auto cutter, Black, RS-23225-pin, Power Supply, USA Power Cord | $410.00 |
| A799-120P-TD00 | A799, Thermal Receipt, 2MB, with auto cutter, Beige, Parallel, Power Supply, USA Power Cord | $410.00 |
| A799-220P-TD00 | A799, Thermal Receipt, 2MB, with auto cutter, Dk Gray, Parallel, Power Supply, USA Power Cord | $410.00 |
| A799-720P-TD00 | A799, Thermal Receipt, 2MB, with auto cutter, Black, Parallel, Power Supply, USA Power Cord | $410.00 |
| A799-720E-TD00 | A799, Thermal Receipt, 2MB, with auto cutter, Black, Ethernet, Power Supply, USA Power Cord | $460.00 |
| A799-720W-TN00 | A799, Thermal Receipt, 2MB, with auto cutter, Black, Powered USB, Power Supply and Power Cord Not Required | $410.00 |

Note: European and UK power cords available - Inquire

COGNITIVETPG

## A798/799 Series

Combining Performance with Reliability and Low Price

The A798 Monochrome & A799 Two-Color Single Station Printers by CognitiveTPG run at top-of-class speeds, with industry-leading durability and best price/ performance value. These printers are ideally suited for high-volume printing found in retail, grocery, convenience, and hospitality environments.

> Legendary ruggedness and reliability
> Industry's best combination of printhead and auto cutter life
> Top of class print speeds (A798 - 150 mm/sec & A799 - 250 mm/sec
> Simple installation and easy paper loading
> Spill resistant Built-In Dam and liquid drainage
> Notable 2-Year (A798) and 3-Year Warranty (A799)
> Receipt Marketing Software (included with A799)

COGNITIVETPG

## A776 Series - Retail Printer & B780 - Banking Printer

A776 (Retail) & B780 (Banking) Hybrid Printers - with thermal receipt and dot matrix impact slip station

> 2 MB Flash Memory

> Curved slip station with easy drop in validation and front slip insertion

> MICR available with 99% check read rate accuracy

> Small footprint: (W x D x H) 6.5"" x 11.4"" x 6.6""

> 250mm per second thermal print speed

| Part # | Description | List |
|---|---|---|

### A776 Series - Retail Printer & B780 - Banking Printer

| | | |
|---|---|---|
| A776-120D-T000 | A776,HybridReceipt/Slip,2MB,withautocutter,Beige,DualUSB/RS-232 9-Pin, Power Supply, USA Power Cord | $980.00 |
| A776-720D-T000 | A776,HybridReceipt/Slip,2MB,withautocutter,Black,DualUSB/RS-232 9-Pin, Power Supply, USA Power Cord | $980.00 |
| A776-121D-T000 | A776, Hybrid Receipt/Slip, 2MB, with auto cutter, Beige, MICR, Dual USB/RS-232 9-Pin, Power Supply, USA Power Cord | $1,006.00 |
| A776-721D-T000 | A776, Hybrid Receipt/Slip, 2MB, with auto cutter, Black, MICR, Dual USB/RS-232 9-Pin, Power Supply, USA Power Cord | $1,006.00 |
| A776-121W-T000 | A776, Hybrid Receipt/Slip, 2MB, with auto cutter, Beige, MICR, Powered USB, Power Supply and Power Cord Not Required | $974.00 |
| B780-720D-T000 | B780,HybridReceipt/Slip,2MB,withautocutter,Black,DualUSB/RS-232 9-Pin, Power Supply, USA Power Cord | $980.00 |
| B780-121D-T000 | B780, Hybrid Receipt/Slip, 2MB, with auto cutter, Beige, MICR, Dual USB/RS-232 9-Pin, Power Supply, USA Power Cord | $1,006.00 |
| B780-721D-T000 | B780, Hybrid Receipt/Slip, 2MB, with auto cutter, Black, MICR, Dual USB/RS-232 9-Pin, Power Supply, USA Power Cord | $1,006.00 |

Note: 25-Pin Serial and Ethernet interfaces (A776) also available - Inquire
Note: European and UK power cords also available - Inquire

| Part # | Description | List |
|---|---|---|

## A760 Series

| | | |
|---|---|---|
| A760-1205-0054 | A760,HybridReceipt/Slip,2MB,withautocutter,Beige,DualUSB/RS-232 9-Pin, Power Supply, USA Power Cord | $942.00 |
| A760-4205-0048 | A760,HybridReceipt/Slip,2MB,withautocutter,Black,DualUSB/RS-232 9-Pin, Power Supply, USA Power Cord | $942.00 |
| A760-4215-0048 | A760, Hybrid Receipt/Slip, 2MB, with auto cutter, Black, MICR, Dual USB/RS-232 9-Pin, Power Supply, USA Power Cord | $1,038.00 |
| A760-1215-0100-S | A760, Hybrid Receipt/Slip, 2MB, with auto cutter, Beige, MICR, Dual USB/RS-232 9-Pin, Power Supply, USA Power Cord | $1,038.00 |

Note: 25-pin Serial and Powered USB interfaces also available - Inquire
Note: European and UK power cords also available - Inquire

COGNITIVETPG

A760 Series

A760 Hybrid Printer with Two Color Thermal Receipt and Dot Matrix Impact Slip Station

> 2 MB Flash Memory shared for graphics, logo's and user defined characters

> Flat table slip station with industry widest print zone of 4.75""

> MICR available with 99% check read accuracy

> High compatability rate with legacy applications

> 180mm/second thermal print speed

COGNITIVETPG

## C Series 2" Printers

C Series printers provide the performance of mid-range printers at a fraction of the price and footprint.

C Series printers are packed with features that you will not find on any other thermal printer in the world.
> Up to 8 ips Print Speed
> USB-A Host Port: Use most USB Scanners & Keyboards for standalone applications
> Easy to use LCD Menu Makes Printing Easy (Cxi)
> Realtime Clock & Audible Indicator Standard on all C Series Printers
> Serial/Parallel, USB, USB-A & Internal Ethernet Standard on all C Series Printers

## CognitiveTPG CRx Series Printers

CognitiveTPG's CRx printer for pharmacies, offering unique laser printer emulations for printing prescription labels, patient monographs, and other labels.

| Part # | Description | List |
|---|---|---|

### C Series 2" Printers

| | | |
|---|---|---|
| CID2-1000 | Ci, DT, 2.2", 203dpi, 16MB Ram, 6 ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet | $799.00 |
| CID2-1300 | Ci, DT, 2.2", 300dpi, 16MB Ram, 6 ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet | $874.00 |
| CIT2-1000 | Ci, TT/DT, 2.2", 203dpi, 16MB Ram, 6ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet | $849.00 |
| CIT2-1300 | Ci, TT/DT, 2.2", 300dpi, 16MB Ram, 6ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet | $924.00 |
| CXD2-1000 | Cxi, DT, 2.2", 203dpi, 16MB Ram, 8 ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet | $899.00 |
| CXD2-1300 | Cxi, DT, 2.2", 300dpi, 16MB Ram, 8 ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet | $974.00 |
| CXT2-1000 | Cxi, TT/DT, 2.2", 203dpi, 16MB Ram, 8 ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet | $949.00 |
| CXT2-1300 | Cxi, TT/DT, 2.2", 300dpi, 16MB Ram, 8 ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet | $1,024.00 |

DT=DirectThermal;TT=ThermalTransfer;dpi=DotsPerInch;MB=Megabytes;ips=InchesPerSecond;VAC=VoltsAC; PAR= Parallel; RTC= Real Time Clock; PCL= Printer Command Language

### C Series 4.1" Printers

| | | |
|---|---|---|
| CID4-1000 | Ci, DT, 4.1", 203dpi, 16MB Ram, 6 ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet | $849.00 |
| CID4-1300 | Ci, DT, 4.1", 300dpi, 16MB Ram, 6 ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet | $924.00 |
| CID4-1330 | Ci, DT, 4.1", 203dpi, 16MB Ram, 6 ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet, PCL | $924.00 |
| CIT4-1000 | Ci, TT/DT, 4.1", 203dpi, 16MB Ram, 6ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet | $899.00 |
| CIT4-1300 | Ci, TT/DT, 4.1", 300dpi, 16MB Ram, 6ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet, PCL | $974.00 |
| CIT4-1330 | Ci, TT/DT, 4.1", 300dpi, 16MB Ram, 6ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet | $974.00 |
| CXD4-1000 | Cxi, DT, 4.1", 203dpi, 16MB Ram, 6ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet | $949.00 |
| CXD4-1300 | Cxi, DT, 4.1", 300dpi, 16MB Ram, 6ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet | $1,024.00 |
| CXD4-1330 | Cxi, DT, 4.1", 300dpi, 16MB Ram, 6ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet, PCL | $1,024.00 |
| CXT4-1000 | Cxi, TT/DT, 4.1", 203dpi, 16MB Ram, 6 ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet | $999.00 |
| CXT4-1300 | Cxi, TT/DT, 4.1", 203dpi, 16MB Ram, 6 ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet | $1,074.00 |
| CXT4-1330 | Cxi, TT/DT, 4.1", 203dpi, 16MB Ram, 6 ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet, PCL | $1,074.00 |

DT=DirectThermal;TT=ThermalTransfer;dpi=DotsPerInch;MB=Megabytes;ips=InchesPerSecond;VAC=VoltsAC; PAR= Parallel; RTC= Real Time Clock; PCL= Printer Command Language

### CRx Series Printers

| | | |
|---|---|---|
| CID4-1330-RX | Ci, TT/DT, 4.1", 300dpi, 16MB Ram, 6ips, 90-260VAC, Serial/Parallel, USB, USB-A (Host), Internal Ethernet, PCL, Rx | $924.00 |

BlueStar Your Solutions Distributor